

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Ps- I & CAD Department- disciplinary action against Sri K.V.N.Gupta, Dt. Executive Engineer for his irregularities in the work of repairs to commamuru canal bunds from Duggirala to Kollopara lock – enquiry conducted-charges proved –imposition of punishment of stoppage of one increment without cumulative effect- orders- issued.

IRRIGATION & CAD (SER.VII(V&E-2) DEPARTMENT

G.O.Rt.No. 1687

Dt.31 -12-2008

Read the following :

1. From the general Administration (V&E) Department U.O.Note No. 501/V&E-EI/98-2, dated 22-08-1998.
2. G.O.Rt.No. 208, I & CAD (Ser.VII(V&E-2) Department dated 25-01-2006.
3. Received from Sri K.V.N.Gupta, Written Statement of defense dated 02-03-2006.
4. G.O.Rt.No.1122, I & CAD (Ser.VII(V&E-2)Department dated 08-08-2006.
5. From the COI D.O.Letter No. 298/ COI-CK/2006 dated 30-07-2008.
6. Govt memo No. 27080/ Ser.VII(V&E-2)/04-9 dated 09-09-2008.
7. From Sri K.V.N.Gupta, Dy EE representation dated 15-10-2008.

ORDER ;

It has been brought to the notice of the Government that certain Engineers of I & CAD Department have committed irregularities in the work of repairs to Commamuru canal bunds in Guntur District.

2. Government after careful examination of the matter in the reference 2nd read above, initiated disciplinary action against Sri K.V.N.Gupta, Dy. Executive Engineer by issuing Articles of charges.

3. In the reference 3rd read above, Sri K.V.N.Gupta, Dy. Executive Engineer has submitted his Written Statement of defense duly denying the charges framed against him

4. In the reference 4th read above, orders have been issued appointing Smt Chandana Khan, IAS, Member, COI as inquiring Authority to conduct enquiry into

the charges framed against Sri K.V.N.Gupta, Dy. Executive Engineer and (2) others.

5. In the reference 5th read above, the Inquiring Authority has submitted enquiry report stating that the charges are held proved against the charged officer.

6. In the reference 6th read above, while communicating a copy of the enquiry report Sri K.V.N.Gupta, Dy. Executive Engineer has been requested to submit his representation on the findings of the Inquiring Authority.

7. In the reference 7th read above, Sri K.V.N.Gupta, Dy. Executive Engineer has submitted his representation with a request to drop further action against him.

8. Government after careful examination of the entire issue hereby impose a punishment of stoppage of one increment without cumulative effect on Sri K.V.N.Gupta, Dy. Executive engineer for his committed irregularities in execution of the work of repairs to commamuru canal bunds from Duggirala to Kolopara lock.

9. The Engineer-in-Chief (AW), I & CAD Department shall take necessary action in the matter.

(BY ORDER AND IN THE NAME OF GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

TO

Sri K.V.N.Gupta, Dy. Executive Engineer through the Engineer-in-Chief (AW) I & CAD Department, Hyderabad.

The Engineer-in-Chief (AW), I & CAD Department, Hyderabad.

The General Administration (V&E) Department.

The Secretary to APVC. Hyderabad

The Accountant General, Andhra Pradesh, Hyderabad.

Copy to : Government Pleader for irrigation, APAT, Hyderabad with reference to O.A.No. 8376/2008.

I & CAD (Ser.II) Department for information & necessary action.

SF/SC.

//FORWARDED : : BY ORDER//

SECTION OFFICER